# Accurate Determination for Orthodontic Mini-implant Placement Using Acrylic Resin Surgical Guide and CBCT

## ADELINA POPA, CAMELIA SZUHANEK\*, SILVIU BRAD

University of Medicine And Pharmacy Victor Babes Timisoara, Faculty Of Dental Medicine, Romania, 2 Eftimie Murgu Sq., 300041, Timisoara, România

Various techniques have been proposed for the fabrication of surgical guide templates in orthodontics. The objective of this paper is to review the associated literature and recent advancements in this field, based on design concept, materials and technique.

Keywords: acrylic resin, surgical guide, mini-implant, CBCT

Surgical template is a guide used to assist in proper surgical placement and angulation of orthodontic minimplants. The main objective of surgical template is to direct the mini-implant drilling system and provide a accurate placement of the implant according to the orthodontic treatment plan . To precisely transfer the plan to the operative site, customized conventional radiographic or computed image guided surgical templates have become a treatment of choice. A surgical guide is the union of two components: the guiding cylinders and the contact surface. The contact surface can be: bone supported, mucosa supported and tooth supported .

Placing a mini-implant without a surgical guide increase the risk of problems. If the placement of the mini-implant relies only on the clinician's experience, technique and skill, complications can occur: rooth contact or damage,

penetration of the maxillary sinus.

The advantages of accurate mini-implant positioning include: improved retention during orthodontic loading and precise control of the force vector.

There are many different classifications of the surgical guide based on the materials used, design concept and technique.

In the literature there are many studies about surgical guides using different materials (table 1).

Design concept

The fabrication of the surgical guide templates is based on one of the following design concepts:

- non limiting design indicates the ideal position of the mini-implant 2. without any emphasis on the angulation of the drill;
- partially limiting design -the first drill used for the osteotomy is directed using the surgical guide and then is finished freehand by the surgeon;
- completely limiting design restricts all of the instruments used for the osteotomy in a buccolingual and mesiodistal plane.

**Techniques** 

Three tehniques are commonly used for preparing the guide holes and fabricating the radiographic and surgical implant guide :

- conventional free-hand;
- milling;

Author	Material used for the
	fabrication of the template
Engelman et al	Autopolymerizing acrylic
	resin
Tarlow et al	Vacuum formed
	thermoplastic matrix
Espina Marino et al	Heat polymerizing acrylic
	resin
What et al	Autopolymerizing acrylic
	resin mixed with barium
	sulfate
Jae Jung Yu et al	Teflon- Perfluoroalkoxy
	(PFA)
Ken Miyazawa et al	Stainless steel guide and
	light curing splint-resin
A SumathiFelicita	Stainless steel 0,018X0,025
	wire
Seong-Hun Kim et al	Polimer liquid resins
	(stereolithography)

Table 1

-computer - aided design/computer assisted manufacture (CAD-CAM).

**Experimental part** 

We present a clinical case where we used a acrylic resin surgical guide.

Diagnostic casts of the dental arches are made from irreversible hydrocolloid impressions. Dental casts were prepared and the planed insertion site was marked on the casts.

In order to examine the prospective screw position and the optimal angle of insertion site ,CBCT was carried out.

<sup>\*</sup> email: cameliaszuhanek@umft.ro

A self polymerizing acrylic resin was adapted over the occlusal and insertion area of the cast. The surgical guide was fabricated to insert 2 orthodontic mini-implants (Leone : 1.6 mm in diameter and 8 mm in length). It was designed to determine not only the best insertion site but also accurate placement of the head of the screw. One minimplant was inserted on the bucal side between the premolar and molar and the other one on the palatal side.

Another partial CBCT was carried out to evaluate the position of the inserted mini-implants.



Fig. 1. Acrylic resin surgical guide



Fig. 2. Acrylic surgical, bucal view



Fig 3. Acrylic surgical, oral view



Fig.4. Pre treatment periapical view




Fig. 5. CBCT view : interradicular space is 1.45- 1.86 mm




Fig. 6. CBCT view: post insertion



Fig. 7. CBCT view post insertion 3D

### **Results and discussions**

The completed surgical guide was easily placed intraorally and permitted simple and rapid placement of the mini-implants. The sites of the mini-implants wereaccurate.

Conventional dental panoramic radiography and plain film radiography are usually performed, however it has diagnostic limitations such as: expansion and distortion, setting error, positional artefacts and there is no information regarding the dimension of the bone bucco-lingual direction.

This research investigated the use of cone-beam computed tomography (CBCT) and precise surgical guides , an approach that provides three-dimensional control for accurate placement of self-drilling mini-screw implants at the desired location and angle.

### **Conclusions**

It is now also possible to produce a 3D stent directly from a 3D CT or CBCT using orthodontic planning software . In the future it is likely that this process will supersede the manual production of the stents .

#### References

- 1. ENGELMAN, M.J, SORENSEN, J.A, MOY, P., Optimum placement of osseointegrated implants. J Prosthet Dent. 1988;59:467–473.
- 2. TARLOW, J.L., Fabrication of an implant surgical stent for theedentulous mandible.J Prosthet Dent. 1992;67:217-218.
- 3. ESPINOSA MARINO, J., ALVAREZ ARENAL, A., PARDOCEBALLOSA FERNANDEZ VAZQUEZ, J.P., IBASETA DIAZ, G., Fabrication of an implantradiologic-surgical stent for the partially edentulous patient. Quintessence Int. 1995;26:111-114.
- 4.WAT, P.Y., POW, E.H., CHAU, F.S., LEUNG, K.C., A surgical guide fordental implant placement in an edentulous jaw.J Prosthet Dent.2008;100:323-325.
- 5.YU, J.J., KIM, G.T., CHOI, Y.S., HWANG, E.H., PAEK, J., KIM, S.H., HUANG, J.C., Accuracy of a cone beam computed tomography-guided surgical stent for orthodontic mini-implant placement. Angle Orthod. 2012 Mar;82(2):275-83. doi: 10.2319/060811-374.1. Epub 2011 Aug 29.
- 6. MIYAZAWA, K., KAWAGUCHI, M., TABUCHI, M.,GOTO, S., Accurate pre-surgical determination for self-drilling miniscrew implant placement using surgical guides and cone-beam computed tomography. Eur J Orthod 2010 Dec 22;32(6):735-40. Epub 2010 Apr 22. 7. SUMATHI FELICITA, A., A simple three-dimensional stent for proper placement of mini-implant. Published online 2013 Nov 12. doi: 10.1186/2196-1042-14-45
- **8.** KIM, S.H., KANG, J.M., CHOI. B., NELSON, G., Clinical application of a stereolithographic surgical guide for simple positioning of orthodontic mini-implants. World J Orthod. 2008 Winter;9(4):371-82. 9. D'SOUZA, K.M., ARAS, M.A., Types of implant surgical guides in dentistry: a review. J Oral Implantol. 2012 Oct;38(5):643-52. doi: 10.1563/AAID-JOI-D-11-00018. Epub 2011 Sep 9.
- 10. COUSLEY, R.R., A stent-guided mini-implant system.J Clin Orthod. 2009 Jun;43(6):403-7

Manuscript received: 15.01.2016